AERICO AND

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 2005-031690	FOR FURTHER ACTION		on of Transmittal of International xamination Report (Form PCT/IPEA/416)		
International application No.	International filing date (day/mo	nth/year)	Priority date (day/month/year)		
PCT/US03/36104	12 November 2003 (12.11.2003) .	12 November 2000 (12.11.2000)		
International Patent Classification (IPC) or national classification and IPC					
IPC(7): B02C 1/06 and US Cl.: 241/101.73, 266					
Applicant					
RAMUN, JOHN, R					
1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.					
2. This REPORT consists of a total of sheets, including this cover sheet.					
This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).					
These annexes consist of a total of sheets.					
3. This report contains indications relating to the following items:					
I Basis of the rep	oort				
II Priority			•		
III Non-establishm	III Non-establishment of report with regard to novelty, inventive step and industrial applicability				
IV Lack of unity of	of invention				
	ment under Article 35(2) with a itations and explanations suppo				
VI Certain docume					
	in the international application		·		
=	ations on the international appli				
, <u>_</u>]	••				
Date of submission of the demand	Date	of completion	of this report		
08 June 2004 (08.06.2004)	04 A	pril 2005 (04.04	.2005)		
Name and mailing address of the IPEA/	US And	Authorized officer			
Mail Stop PCT, Attn: IPEA/US Commissioner for Patents	7344	k Rosenbaum	Sharon V. Breine far		
P.O. Box 1450 Alexandria, Virginia 22313-1450		phone No. 571-7	•		
Facsimile No. (703) 305-3230		PHOHO 110. 571-7			

Form PCT/IPEA/409 (cover sheet)(July 1998)



International application No.	
PCT/US03/36104	
	<u> </u>

INTERNÁTIONAL PRELIMINARY EXAMINATION REPORT

I.	Basis	s of the report
		regard to the elements of the international application:*
``	\Box	the international application as originally filed.
	X	the description:
	لكا	pages 1-8 as originally filed
		The sea NONE filed with the demand
İ		pages NONE , filed with the letter of
	\boxtimes	the claims:
		pages None , as originally filed pages 9-12c , as amended (together with any statement) under Article 19
		marger None filed With the delitation
		pages NONE , filed with the letter of
ì	\boxtimes	the drawings:
		pages 1-13 as originally filed
		pages NONE , filed with the demand pages NONE , filed with the letter of
1	_	
		the sequence listing part of the description:
		pages NONE, as originally filed pages NONE, filed with the demand
Ì		- YOUR Gled with the letter Of
1	2. Wi	the learnings oil the elements marked above were available of numished to this Authority in the
	lang	guage in which the international application was filed, unless otherwise indicated under this item. see elements were available or furnished to this Authority in the following language which is:
	1 ne	the language of a translation furnished for the purposes of international search (under Rule23.1(b)).
١	<u> </u>	the language of a translation furnished for the purposes of mechanisms exercises (ander Rule 48 3(h))
	<u> </u>	the language of publication of the international application (under Rule 48.3(b)).
	L_	the language of the translation furnished for the purposes of international preliminary examination (under Rules
	o 337	55.2 and/or 55.3). th regard to any nucleotide and/or amino acid sequence disclosed in the international application, the
	3. WI	ernational preliminary examination was carried out on the basis of the sequence listing:
		contained in the international application in printed form.
-	<u> </u>	filed together with the international application in computer readable form.
	늗	furnished subsequently to this Authority in written form.
1	<u> </u>	furnished subsequently to this Authority in computer readable form.
	<u> </u>	The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the
1	L	international application as filed has been furnished.
١	Г	The statement that the information recorded in computer readable form is identical to the written sequence listing
1	L.	has been furnished.
-	4.	The amendments have resulted in the cancellation of:
	4	
		the description, pages NONE
		the claims, Nos. NONE
		the drawings, sheets/fig NONE
	5.	This report has been established as if (some of) the amendments had not been made, since they have been considered to go
		beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).** beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).** blacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in placement sheets which have been furnished to the receiving of the do not contain amendments. (Rules 70.16 and 70.17).
		and are not annexed to this report since they do not conduit discussion (2000)
	** An	eport as "originally fited" and are not districted to the referred to under item 1 and annexed to this report. By replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.
- 1		



International application No. PCT/US03/36104

 V. Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement 					
STATEMENT					
Novelty (N)	Claims 1-36	YES			
Novelly (11)	Claims NONE	NO			
Lorentino Stop (IS)	Claims 1-36	YES			
Inventive Step (IS)	Claims NONE	NO			
The state of the s	Claims 1-36	YE			
Industrial Applicability (IA)	Claims NONE	NO			
claims 1-36 meet the criteria set out in PCT Artic an be made or used in industry.		cause the subject matter claimed			
NEW CITATIONS	-				
	•				
·					

CLAIMS

THE INVENTION CLAIMED IS:

 A multiple tool attachment system for demolition equipment comprising: an adapter for coupling the system to existing demolition equipment; a body coupled to the adapter;

a pair of jaws coupled to the body, at least one of the jaws being pivotable, and each jaw having a tool carrier; and

a plurality of tool attachments selectively attachable to each tool carrier for forming distinct tool units.

- 2. The multiple tool attachment system according to claim 1, wherein one of the plurality of tool attachments is a cracker attachment.
- 3. The multiple tool attachment system according to claim 2, wherein the cracker attachment includes at least one double rake tooth.
- 4. The multiple tool attachment system according to claim 3, wherein the cracker attachment includes at least one single rake tooth.
- 5. The multiple tool attachment system according to claim 2, wherein the cracker attachment includes at least one single rake tooth.
- 6. The multiple tool attachment system according to claim 1, wherein one of the plurality of tool attachments is a pulverizing attachment.
- 7. The multiple tool attachment system according to claim 6, wherein the pulverizing attachment includes a pair of inserts, each insert including a plurality of teeth.
- 8. The multiple tool attachment system according to claim 1, wherein one of the plurality of tool attachments is a wood shear attachment.
- 9. The multiple tool attachment system according to claim 8, wherein the wood shear attachment includes a blade insert and an anvil insert, the blade insert cooperates with the anvil insert.



- 10. The multiple tool attachment system according to claim 9, wherein: the blade insert includes a blade and a piercing tip, the anvil insert includes a pair of spaced apart tines, and the pair of spaced apart tines are configured to receive the blade therebetween.
- 11. The multiple tool attachment system according to claim 9, wherein: the tool carrier includes a recess, and the blade insert includes a projection configured to engage the recess.
- 12. The multiple tool attachment system according to claim 1, wherein one of the plurality of tool attachments is an iron/rail cracker attachment.
- 13. The multiple tool attachment system according to claim 12, wherein the iron/rail cracker attachment includes a single cracker insert.
- 14. The multiple tool attachment system according to claim 1, wherein the iron/rail cracker attachment includes a double cracker insert.
- 15. The multiple tool attachment system according to claim 1, wherein one of the plurality of tool attachments is a grapple attachment.
- 16. The multiple tool attachment system according to claim 15, wherein the grapple attachment includes a pair of grapple inserts.
- 17. The multiple tool attachment system according to claim 16, wherein the pair of grapple inserts each include a plurality of times.
- 18. The multiple tool attachment system according to claim 17, wherein the plurality of tines of a first grapple insert are offset from the plurality of tines of a second grapple insert.
- 19. The multiple tool attachment system according to claim 17, wherein the plurality of times of a first grapple insert are aligned with the plurality of times of a second grapple insert.

- 20. The multiple tool attachment system according to claim 16, wherein each of the pair of grapple inserts includes a central cavity.
- 21. The multiple tool attachment system according to claim 20, wherein each of the pair of grapple inserts further includes:

a retaining bar;

a retaining pin including a slot configured to receive the retaining bar; and an opening on an end of the insert configured to receive the retaining bar.

22. The multiple tool attachment system according to claim 1, further including a plurality of fasteners,

wherein each tool carrier includes a mounting surface and at least one fastener hole,

one of the plurality of tool attachments engages each mounting surface, and the plurality of fasteners connect the one of the plurality of tool attachments to the tool carrier via the at least one fastener hole of each tool carrier.

23. The multiple tool attachment system according to claim 22, wherein:
each of the plurality of tool attachments includes at least one lug alignable
with the at least one fastener hole, and

one of plurality of fasteners extends through the aligned at least one lug and the at least one fastener hole.

- 24. The multiple tool attachment system according to claim 22, wherein the plurality of fasteners includes a plurality of bolts and a plurality of nuts engageable with the bolts.
- 25. The multiple tool attachment system according to claim 1, further including a pair of wear plates adjacent to each of the pair of jaws and distal the body.
- 26. The multiple tool attachment system according to claim 1, wherein each jaw includes at least one cutting insert.

WQ 2004/044349

27. The multiple tool attachment system according to claim 26, further including at least one wear plate adjacent to at least one cutting insert and distal the body.

- 28. The multiple tool attachment system according to claim 26, wherein at least one jaw includes two cutting inserts.
- 29. The multiple tool attachment system according to claim 28, wherein the two cutting inserts form an apex.
- 30. A multiple tool attachment system for demolition equipment comprising:

 a pair of jaws configured to couple to the demolition equipment, at least one of
 the jaws being pivotable; and

a plurality of tool attachments selectively attachable to each of the pair of jaws for forming distinct tool units.

- 31. The multiple tool attachment system according to claim 30, wherein the plurality of tool attachments includes one or more of a cracker attachment, a pulverizing attachment, a wood shear attachment, an iron/rail cracker attachment, and a grapple attachment.
- 32. A multiple tool attachment system for demolition equipment comprising:
 a pair of jaws configured to couple to the demolition equipment, at least one of
 the jaws being pivotable, and each jaw having a tool carrier;
- a plurality of tool attachments selectively attachable to each tool carrier of the pair of jaws for forming distinct tool units; and

a plurality of fasteners;

wherein each tool carrier includes at least one fastener hole,

each of the plurality of tool attachments includes at least one attachment hole,

one of the plurality of fasteners couples one of the plurality of tool attachments to one of the tool carriers at the at least one fastener hole and the at least one attachment hole.